

SAFETY DATA SHEET

1. Identification

Product identifier: GE22764 12C-Crtrg(0.955LBS-0.434KG)

Other means of identification

Synonyms: Acrylic Caulk

Recommended use and restriction on use

Recommended use: For industrial use only.

Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information : Momentive Performance Materials - Daytona
703 South Street
New Smyrna Beach FL 32168

Contact person : commercial.services@momentive.com

Telephone : General information
+1-800-295-2392

Emergency telephone number
Supplier : CHEMTREC
1-800-424-9300

2. Hazard(s) identification

Hazard Classification

Health Hazards

Serious Eye Damage/Eye Irritation Category 2A

Unknown toxicity - Health

Acute toxicity, oral	30.73 %
Acute toxicity, dermal	30.73 %
Acute toxicity, inhalation, vapor	30.73 %
Acute toxicity, inhalation, dust or mist	30.73 %

Label Elements

Hazard Symbol:

GE22764 12C-Crtrg(0.955LBS-0.434KG)



Signal Word: Warning

Hazard Statement: H319; Causes serious eye irritation.

**Precautionary
Statements**

Prevention: Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Other hazards which do not
result in GHS classification:** None.

3. Composition/information on ingredients

GE22764 12C-Crtrg(0.955LBS-0.434KG)
Mixtures

Chemical Identity	CAS number	Content in percent (%)*	Notes
(1) CALCIUM CARBONATE	1317-65-3	20 - <50%	# This substance has workplace exposure limit(s).
Silicon dioxide	112926-00-8	1 - <5%	# This substance has workplace exposure limit(s).
(1) TITANIUM DIOXIDE	13463-67-7	1 - <5%	# This substance has workplace exposure limit(s).
DISTILLATES, PETROLEUM, HYDROTREATED	64742-47-8	1 - <5%	# This substance has workplace exposure limit(s).
(1) QUARTZ	14808-60-7	0.1 - <1%	# This substance has workplace exposure limit(s).
Boron oxide	1303-86-2	0.1 - <0.3%	# This substance has workplace exposure limit(s).

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

(1) The respirable particle(s) listed above are inextricably bound within the polymer matrix, and therefore does not present an inhalation hazard during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

4. First-aid measures

General information:	No action shall be taken involving any personal risk or without suitable training.
Ingestion:	If swallowed, do NOT induce vomiting. Give a glass of water.
Inhalation:	If inhaled, remove to fresh air. If not breathing give artificial respiration using a barrier device. If breathing is difficult give oxygen. Get medical attention.
Skin Contact:	Wash area with soap and water.
Eye contact:	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

GE22764 12C-Crtrg(0.955LBS-0.434KG)

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: Treatment is symptomatic and supportive.

5. Fire-fighting measures

General Fire Hazards: Move containers from fire area if you can do so without risk. Use standard firefighting procedures and consider the hazards of other involved materials.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: All standard extinguishing agents are suitable.

Unsuitable extinguishing media: No data available.

Specific hazards arising from the chemical: In case of fire, carbon monoxide and carbon dioxide may be formed.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: Cool fire-endangered containers with water.

Special protective equipment for fire-fighters: Firefighters must wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus with full face mask and full protective clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Avoid contact with skin and eyes. Avoid accidental ingestion of this material. Wash hands and face before eating, drinking, smoking, using toilet facilities, or applying cosmetics.

Keep container tightly closed. Keep out of reach of children.

GE22764 12C-Crtrg(0.955LBS-0.434KG)

Methods and material for containment and cleaning up:

Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the protective equipment section.

Notification Procedures:

Stop leak if you can do so without risk. In case of spills, beware of slippery floors and surfaces.

Environmental Precautions:

Prevent runoff from entering drains, sewers, or streams.

7. Handling and storage

Precautions for safe handling:

Sensitivity to static discharge is not expected. Do not get in eyes, on skin, on clothing. Do not taste or swallow. Wear protective gloves/protective clothing/eye protection/face protection. Use only in well-ventilated areas.

Conditions for safe storage, including any incompatibilities:

Keep container tightly closed and in a well-ventilated place. Use original container or packaging of similar material of construction

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
(1) CALCIUM CARBONATE - Respirable.	REL	5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
(1) CALCIUM CARBONATE - Total	REL	10 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
(1) CALCIUM CARBONATE - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
(1) CALCIUM CARBONATE - Respirable fraction.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
(1) CALCIUM CARBONATE - Total dust.	TWA	15 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
(1) CALCIUM CARBONATE - Respirable fraction.	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Silicon dioxide	REL	6 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	TWA	6 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	20 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
	TWA	0.8 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
(1) TITANIUM DIOXIDE	TWA	10 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
(1) TITANIUM DIOXIDE - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	10 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
DISTILLATES, PETROLEUM, HYDROTREA	TWA	200 mg/m3	US. ACGIH Threshold Limit Values (03 2015)

GE22764 12C-Crtrg(0.955LBS-0.434KG)

TED - Non-aerosol. - as total hydrocarbon vapor			
	TWA	200 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
DISTILLATES, PETROLEUM, HYDROTREA TED	REL	100 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	REL	100 ppm 400 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	100 ppm 400 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (03 2016)
	TWA	100 ppm 400 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
(1) QUARTZ - Respirable fraction.	TWA	0.025 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
(1) QUARTZ - Respirable dust.	REL	0.05 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	TWA	0.1 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
(1) QUARTZ - Respirable.	TWA	2.4 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
	TWA	0.1 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
(1) QUARTZ	PEL	0.05 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (03 2016)
Boron oxide	TWA	10 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
	REL	10 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
Boron oxide - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	10 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)

This product contains one or more substances with an occupational exposure limit. However, the respirable particle(s) of this/these substance(s) are inextricably bound within the polymer matrix. Therefore, we do not expect an exposure to this/these substance(s) during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

Appropriate Engineering Controls

Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

General information:

Ventilation and other forms of engineering controls are preferred for controlling exposures. Respiratory protection may be needed for non-routine or emergency situations.

Eye/face protection:

Safety glasses with side shields Monogoggles

Skin Protection

Hand Protection:

Neoprene

Other:

Wear suitable protective clothing and eye/face protection.

GE22764 12C-Crtrg(0.955LBS-0.434KG)

Respiratory Protection: If exposure limits are exceeded or respiratory irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA regulations (see 29CFR 1910.134).

Hygiene measures: Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned. Use only with adequate ventilation.

9. Physical and chemical properties

Appearance

Physical state: solid
Form: solid
Color: White

Odor: Ammonia.

Odor threshold: No data available.

pH: No data available.

Melting point/freezing point: No data available.

Initial boiling point and boiling range: 100.00 °C

Flash Point: > 93.3 °C (estimated)

Evaporation rate: No data available.

Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%): No data available.

Flammability limit - lower (%): No data available.

Explosive limit - upper (%): No data available.

Explosive limit - lower (%): No data available.

Heat of combustion: No data available.

Vapor pressure: No data available.

Vapor density: No data available.

Density: No data available.

Relative density: 1.42

Solubility(ies)

Solubility in water: No data available.

Solubility (other): No data available.

Partition coefficient (n-octanol/water) Log No data available.

GE22764 12C-Crtrg(0.955LBS-0.434KG)**Pow:**

Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
SADT:	No data available.
Viscosity, dynamic:	No data available.
Viscosity, kinematic:	No data available.
VOC:	47 g/l

10. Stability and reactivity

Reactivity:	No dangerous reaction if used as recommended.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	Hazardous polymerisation does not occur.
Conditions to avoid:	No data available.
Incompatible Materials:	None known.
Hazardous Decomposition Products:	Carbon oxides

11. Toxicological information**Information on likely routes of exposure**

Ingestion:	No data available.
Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion:	No data available.
Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

(1) TITANIUM DIOXIDE LD 50 (Rat): > 10,000 mg/kg

Dermal

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

(1) TITANIUM DIOXIDE LD 50 (Rabbit): > 10,000 mg/kg

Inhalation

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

(1) TITANIUM DIOXIDE LC50 (Rat): > 6.8 mg/l

Repeated dose toxicity

Product: No data available.

Skin Corrosion/Irritation

Product: No data available.

Serious Eye Damage/Eye Irritation

Product: No data available.

Specified substance(s):

(1) TITANIUM DIOXIDE No eye irritation

Respiratory or Skin Sensitization

Product: No data available.

Specified substance(s):

(1) TITANIUM DIOXIDE negative

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

(1) QUARTZ Overall evaluation: 1. Carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens:

(1) QUARTZ Known To Be Human Carcinogen.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: No data available.

Other effects: None known. None.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

GE22764 12C-Crtrg(0.955LBS-0.434KG)

Specified substance(s):

(1) TITANIUM DIOXIDE LC0 (Leuciscus idus, 48 h): > 1,000 mg/l

Aquatic Invertebrates

Product: No data available.

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

Specified substance(s):

(1) TITANIUM DIOXIDE 0 %

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

GE22764 12C-Crtrg(0.955LBS-0.434KG)

(1) CALCIUM CARBONATE	No data available.
Silicon dioxide	No data available.
(1) TITANIUM DIOXIDE	No data available.
DISTILLATES, PETROLEUM, HYDROTREATED	No data available.
(1) QUARTZ	No data available.
Boron oxide	No data available.

Other adverse effects: No data available.

13. Disposal considerations

General information:	The generation of waste should be avoided or minimized wherever possible. Do not discharge into drains, water courses or onto the ground. See Section 8 for information on appropriate personal protective equipment.
Disposal instructions:	Disposal should be made in accordance with federal, state and local regulations.
Contaminated Packaging:	Dispose of as unused product.

14. Transport information

DOT
Not regulated.

IMDG
Not regulated.

IATA
Not regulated.

Special precautions for user: This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)
None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate (Acute) Health Hazards

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u>	<u>Threshold Planning Quantity</u>
(1) CALCIUM CARBONATE	10000 lbs
Silicon dioxide	10000 lbs
(1) TITANIUM DIOXIDE	10000 lbs
DISTILLATES, PETROLEUM, HYDROTRACTED	10000 lbs
(1) QUARTZ	10000 lbs
Boron oxide	10000 lbs

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

(1) TITANIUM DIOXIDE	Carcinogenic.
(1) QUARTZ	Carcinogenic.
Formaldehyde	No significant risk level: 40 µg/day. Carcinogenic.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Vendor Trade Secret Acrylic polymer
Water

Silicon dioxide
1,2-Propanediol
DISTILLATES, PETROLEUM, HYDROTREATED
Boron oxide

US. Massachusetts RTK - Substance List

Chemical Identity

Silicon dioxide
DISTILLATES, PETROLEUM, HYDROTREATED
(1) QUARTZ
Formaldehyde

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

(1) CALCIUM CARBONATE
Silicon dioxide
(1) TITANIUM DIOXIDE
1,2-Propanediol
DISTILLATES, PETROLEUM, HYDROTREATED

US. Rhode Island RTK

Chemical Identity

1,2-Propanediol
DISTILLATES, PETROLEUM, HYDROTREATED

GE22764 12C-Crtrg(0.955LBS-0.434KG)

Inventory Status:

Australia AICS:	n (Negative listing)	Remarks: None.
Japan (ENCS) List:	n (Negative listing)	Remarks: None.
China Inventory of Existing Chemical Substances:	n (Negative listing)	Remarks: None.
Korea Existing Chemicals Inv. (KECI):	n (Negative listing)	Remarks: None.
Canada DSL Inventory List:	q (quantity restricted)	Remarks: None.
Canada NDSL Inventory:	y (positive listing)	Remarks: None.
Philippines PICCS:	n (Negative listing)	Remarks: None.
US TSCA Inventory:	y (positive listing)	Remarks: On TSCA Inventory
Taiwan. Taiwan inventory (CSNN):	n (Negative listing)	Remarks: None.

16. Other information, including date of preparation or last revision

HMIS Hazard ID

Health	2
Flammability	1
Physical Hazards	0
PERSONAL PROTECTION	

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

Issue Date: 04/07/2017

Revision Date: No data available.

Version #: 1.9

Further Information: No data available.

GE22764 12C-Crtrg(0.955LBS-0.434KG)

Disclaimer:

Notice to reader

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives. Keep out of the reach of children.

Further Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.