

VP8100 55G

SAFETY DATA SHEET

1. Identification

Product identifier: VP8100 55G

Other means of identification

Synonyms: ELASTOMERIC WATERPROOF COATING

Recommended use and restriction on use

Recommended use: Industrial use

Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information : Momentive Performance Materials - Daytona
703 South Street
New Smyrna Beach FL 32168

Contact person : commercial.services@momentive.com

Telephone : General information
+1-800-295-2392

Emergency telephone number

Supplier : CHEMTREC
1-800-424-9300

2. Hazard(s) identification

Hazard Classification

Health Hazards

Carcinogenicity

Category 2

Unknown toxicity - Health

Acute toxicity, oral	17.79 %
Acute toxicity, dermal	17.79 %
Acute toxicity, inhalation, vapor	17.79 %
Acute toxicity, inhalation, dust or mist	17.79 %

Label Elements

Hazard Symbol:

VP8100 55G



Signal Word: Warning

Hazard Statement: H351; Suspected of causing cancer.

**Precautionary
Statements**

Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.

Response: IF exposed or concerned: Get medical advice/attention.

Storage: Store locked up.

Disposal: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Other hazards which do not
result in GHS classification:** None.

3. Composition/information on ingredients
--

VP8100 55G

Mixtures

Chemical Identity	CAS number	Content in percent (%)*	Notes
(1) Calcium Carbonate	471-34-1	20 - <50%	# This substance has workplace exposure limit(s).
(1) TITANIUM DIOXIDE	13463-67-7	5 - <10%	# This substance has workplace exposure limit(s).
Talc (Mg ₃ H ₂ (SiO ₃) ₄)	14807-96-6	5 - <10%	# This substance has workplace exposure limit(s).
Magnesium carbonate hydroxide (Mg ₅ (CO ₃) ₄ (OH) ₂)	7760-50-1	1 - <5%	No data available.
(1) QUARTZ	14808-60-7	0.1 - <1%	# This substance has workplace exposure limit(s).

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

(1) The respirable particle(s) listed above are inextricably bound within the polymer matrix, and therefore does not present an inhalation hazard during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

4. First-aid measures

Ingestion:	Get medical attention immediately. Do NOT induce vomiting.
Inhalation:	Get medical attention if symptoms occur.
Skin Contact:	Wash area with soap and water. Wash contaminated clothing before reuse. Flush skin with large amounts of water for at least 15 minutes until no evidence of chemical remains.
Eye contact:	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Most important symptoms/effects, acute and delayed	
Symptoms:	None known.
Hazards:	No data available.

Indication of immediate medical attention and special treatment needed

VP8100 55G

Treatment: Treatment is symptomatic and supportive.

5. Fire-fighting measures

General Fire Hazards: Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: All standard extinguishing agents are suitable.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical: In case of fire, carbon monoxide and carbon dioxide may be formed.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: No data available.

Special protective equipment for fire-fighters: Firefighters must wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus with full face mask and full protective clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Avoid contact with skin and eyes. Wash contaminated clothing before reuse. Keep out of reach of children. Keep container tightly closed. Keep container dry. Avoid accidental ingestion of this material. Wash hands and face before eating, drinking, smoking, using toilet facilities, or applying cosmetics.

Product releases formaldehyde during curing.

Methods and material for containment and cleaning up: Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the protective equipment section.

7. Handling and storage

Precautions for safe handling: Sensitivity to static discharge is not expected.

VP8100 55G

Conditions for safe storage, including any incompatibilities: Keep container in a well-ventilated place. Keep container tightly closed.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
(1) Calcium Carbonate - Total	REL	10 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
(1) Calcium Carbonate - Respirable.	REL	5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
(1) Calcium Carbonate - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
(1) Calcium Carbonate - Respirable fraction.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
(1) Calcium Carbonate - Total dust.	TWA	15 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
(1) Calcium Carbonate - Respirable fraction.	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
(1) TITANIUM DIOXIDE	TWA	10 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
(1) TITANIUM DIOXIDE - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	10 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Talc (Mg3H2(SiO3) 4) - Respirable fraction.	TWA	2 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
Talc (Mg3H2(SiO3) 4) - Respirable.	REL	2 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
Talc (Mg3H2(SiO3) 4) - Respirable dust.	TWA	2 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Talc (Mg3H2(SiO3) 4)	TWA	20 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
Talc (Mg3H2(SiO3) 4) - Respirable.	TWA	2.4 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
	TWA	0.1 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
Talc (Mg3H2(SiO3) 4) - Total dust.	TWA	0.3 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
(1) QUARTZ - Respirable fraction.	TWA	0.025 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
(1) QUARTZ - Respirable dust.	REL	0.05 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	TWA	0.1 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
(1) QUARTZ - Respirable.	TWA	2.4 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
	TWA	0.1 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
(1) QUARTZ	PEL	0.05 mg/m3	US. OSHA Table Z-1 Limits for Air

VP8100 55G

			Contaminants (29 CFR 1910.1000) (03 2016)
--	--	--	---

This product contains one or more substances with an occupational exposure limit. However, the respirable particle(s) of this/these substance(s) are inextricably bound within the polymer matrix. Therefore, we do not expect an exposure to this/these substance(s) during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

Appropriate Engineering Controls Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

General information: Ventilation and other forms of engineering controls are preferred for controlling exposures. Respiratory protection may be needed for non-routine or emergency situations.

Eyeface protection: Safety glasses with side shields Monogoggles

Skin Protection

Hand Protection: Neoprene

Other: Wear suitable protective clothing and eye/face protection.

Respiratory Protection: If exposure limits are exceeded or respiratory irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA regulations (see 29CFR 1910.134).

Hygiene measures: It is good practice in industrial hygiene to avoid contact with solvents by using appropriate protective measures whenever possible.

9. Physical and chemical properties

Appearance

Physical state: liquid

Form: liquid

Color: White

Odor: No data available.

Odor threshold: No data available.

pH: 8.5 - 8.9

Melting point/freezing point: No data available.

Initial boiling point and boiling range: 100.00 °C

VP8100 55G

Flash Point:	> 93.3 °C (estimated)
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explosive limits	
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Heat of combustion:	No data available.
Vapor pressure:	No data available.
Vapor density:	No data available.
Density:	No data available.
Relative density:	1.38
Solubility(ies)	
Solubility in water:	No data available.
Solubility (other):	No data available.
Partition coefficient (n-octanol/water) Log Pow:	No data available.
Auto-ignition temperature:	not applicable
Decomposition temperature:	No data available.
SADT:	No data available.
Viscosity, dynamic:	No data available.
Viscosity, kinematic:	No data available.
VOC:	49.4 g/l

10. Stability and reactivity

Reactivity:	No dangerous reaction if used as recommended.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	Hazardous polymerisation does not occur.
Conditions to avoid:	None known.
Incompatible Materials:	None known.
Hazardous Decomposition Products:	Carbon dioxide Formaldehyde. Acrylic monomers

VP8100 55G

11. Toxicological information

Information on likely routes of exposure

Ingestion:	No data available.
Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion:	No data available.
Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product:	ATEmix: 39,601.98 mg/kg
Specified substance(s):	
(1) TITANIUM DIOXIDE	LD 50 (Rat): > 10,000 mg/kg

Dermal

Product:	Not classified for acute toxicity based on available data.
Specified substance(s):	
(1) TITANIUM DIOXIDE	LD 50 (Rabbit): > 10,000 mg/kg

Inhalation

Product:	Not classified for acute toxicity based on available data.
Specified substance(s):	
(1) TITANIUM DIOXIDE	LC50 (Rat): > 6.8 mg/l

Repeated dose toxicity

Product:	No data available.
-----------------	--------------------

VP8100 55G

Skin Corrosion/Irritation

Product: No data available.

Serious Eye Damage/Eye Irritation

Product: No data available.

Respiratory or Skin Sensitization

Product: No data available.

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

Talc ($\text{Mg}_3\text{H}_2(\text{SiO}_3)_4$) Overall evaluation: 3. Not classifiable as to carcinogenicity to humans.
Overall evaluation: 2B. Possibly carcinogenic to humans.

(1) QUARTZ Overall evaluation: 1. Carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens:

(1) QUARTZ Known To Be Human Carcinogen.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

VP8100 55G

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: No data available.

Other effects:

This product contains methylpolysiloxanes which can generate formaldehyde at approximately 300 degrees Fahrenheit (150°C) and above, in atmospheres which contain oxygen. Formaldehyde is a skin and respiratory sensitizer, eye and throat irritant, acute toxicant, and potential cancer hazard. A MSDS for formaldehyde is available from Momentive.
No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

(1) TITANIUM DIOXIDE LC0 (Leuciscus idus, 48 h): > 1,000 mg/l

Aquatic Invertebrates

Product: No data available.

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

Specified substance(s):

VP8100 55G

(1) TITANIUM DIOXIDE 0 %

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

(1) Calcium Carbonate No data available.

(1) TITANIUM DIOXIDE No data available.

Talc (Mg₃H₂(SiO₃)₄) No data available.

Magnesium carbonate No data available.

hydroxide (Mg₅(CO₃)

4(OH)₂)

(1) QUARTZ No data available.

Other adverse effects: No data available.

13. Disposal considerations

General information:

The generation of waste should be avoided or minimized wherever possible. Do not discharge into drains, water courses or onto the ground. See Section 8 for information on appropriate personal protective equipment.

Disposal instructions:

Disposal should be made in accordance with federal, state and local regulations.

Contaminated Packaging:

Dispose of as unused product.

14. Transport information

DOT

Not regulated.

IMDG

Not regulated.

VP8100 55G

IATA

Not regulated.

Special precautions for user:

This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Delayed (Chronic) Health Hazard

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u>	<u>Threshold Planning Quantity</u>
(1) Calcium Carbonate	10000 lbs
(1) TITANIUM DIOXIDE	10000 lbs
Talc (Mg ₃ H ₂ (SiO ₃) ₄)	10000 lbs
Magnesium carbonate hydroxide (Mg ₅ (CO ₃) ₄ (OH) ₂)	10000 lbs
(1) QUARTZ	10000 lbs

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

VP8100 55G

US State Regulations

US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

(1) TITANIUM DIOXIDE	Carcinogenic.
(1) QUARTZ	Carcinogenic.
Formaldehyde	No significant risk level: 40 µg/day. Carcinogenic.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Water

(1) Calcium Carbonate

Acrylic Polymer

(1) TITANIUM DIOXIDE

Vendor Trade Secret Acrylic polymer

Talc (Mg₃H₂(SiO₃)₄)

(1) QUARTZ

Water

(1) Calcium Carbonate

Acrylic Polymer

(1) TITANIUM DIOXIDE

Vendor Trade Secret Acrylic polymer

Talc (Mg₃H₂(SiO₃)₄)

Magnesium carbonate hydroxide (Mg₅(CO₃)₄(OH)₂)

US. Massachusetts RTK - Substance List

Chemical Identity

(1) Calcium Carbonate

(1) TITANIUM DIOXIDE

Talc (Mg₃H₂(SiO₃)₄)

(1) QUARTZ

Formaldehyde

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

(1) Calcium Carbonate

(1) TITANIUM DIOXIDE

Talc (Mg₃H₂(SiO₃)₄)

1,2-Propanediol

US. Rhode Island RTK

Chemical Identity

1,2-Propanediol

VP8100 55G

Inventory Status:

Australia AICS:	n (Negative listing)	Remarks: None.
EU EINECS List:	n (Negative listing)	Remarks: None.
EU ELINCS List:	n (Negative listing)	Remarks: None.
Japan (ENCS) List:	n (Negative listing)	Remarks: None.
China Inventory of Existing Chemical Substances:	n (Negative listing)	Remarks: None.
Korea Existing Chemicals Inv. (KECI):	n (Negative listing)	Remarks: None.
Canada DSL Inventory List:	y (positive listing)	Remarks: None.
Canada NDSL Inventory:	n (Negative listing)	Remarks: None.
New Zealand Inventory of Chemicals:	n (Negative listing)	Remarks: None.
Philippines PICCS:	n (Negative listing)	Remarks: None.
US TSCA Inventory:	y (positive listing)	Remarks: On TSCA Inventory
EU No Longer Polymers List:	n (Negative listing)	Remarks: None.
Taiwan. Taiwan inventory (CSNN):	n (Negative listing)	Remarks: None.

16. Other information, including date of preparation or last revision

HMIS Hazard ID

Health	*	0
Flammability		1
Physical Hazards		0
PERSONAL PROTECTION		

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

Issue Date: 06/09/2017

Revision Date: No data available.

Version #: 2.0

Further Information: No data available.

VP8100 55G

Disclaimer:

Notice to reader

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives. Keep out of the reach of children.

Further Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

®, *, and TM indicate trademarks owned by or licensed to Momentive.